

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)
**IEEE Xplore®**  
 RELEASE 1.4

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

09583133 » Se

Welcome to IEEE Xplore®

Your search matched **40** of **925182** documents.A maximum of **40** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

(((updat\* &lt;or&gt; chang\* &lt;or&gt; modif\* &lt;or&gt; eras\*) &lt;sentenc

[Search Again](#)

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 WORM disk drive systems**

Storey, P.A.;

Data Storage Technology, IEE Colloquium on , 13 Feb 1990

Page(s): 6/1 -6/3

[\[Abstract\]](#) [\[PDF Full-Text \(100 KB\)\]](#) **IEE CNF**
**2 Temporal knowledge bases**

Noble, H.;

Very Large Knowledge-Based Systems, IEE Colloquium on , 1 Jun 1990

Page(s): 7/1 -7/3

[\[Abstract\]](#) [\[PDF Full-Text \(132 KB\)\]](#) **IEE CNF**
**3 Low-frequency suppression in RLL codes for optical recording**

Mattavelli, M.;

Video, Audio and Data Recording, 1990., Eighth International Conference on , 2 Apr 1990

Page(s): 109 -115

[\[Abstract\]](#) [\[PDF Full-Text \(516 KB\)\]](#) **IEE CNF**
**4 Gas sensing properties of catalytically modified WO/sub 3/ with cop and vanadium for NH/sub 3/ detection**

Jimenez, I.; Vila, A.; Cornet, A.; Morante, J.R.;

Sensors, 2002. Proceedings of IEEE , Volume: 1 , 2002

Page(s): 409 -414 vol.1



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office

09583133

## Search Results

Search Results for: **[spiral<AND>((((eras\* <or> modif\* <or> updat\* <or> chang\*) <sentence> ((write <near> once) <or> wo <or> worm)))) ]]**  
 Found **10** of **106,899** searched. → Rerun within the Portal

## Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

**Sort by:** Title Publication Publication Date Score Binder

**Results 1 - 10 of 10** short listing

- 1** File organizations and access methods for CLV disks 95%

S. Christodoulakis , D. A. Ford  
**ACM SIGIR Forum , Proceedings of the 12th annual international ACM SIGIR conference on Research and development in information retrieval** May 1989  
 Volume 23 Issue 1-2  
 A large and important class of optical disc technology are CLV format discs such as CD ROM and WORM. In this paper, we examine the issues related to the implementation and performance of several different file organizations on CLV format optical discs such as CD ROM and WORM. The organizations examined are based on hashing and trees. The CLV recording scheme is shown to be a good environment for efficiently implementing hashing. Single seek access and storage utilization levels  
 a ...
- 2** Session 8a: online documentation: Managing computer center 85%

documentation with an integrated database  
 J. M. Caton , J. R. Sack  
**Proceedings of the 4th annual ACM SIGUCCS conference on User services**  
 November 1976
- 3** Access methods for text 80%

Chris Faloutsos  
**ACM Computing Surveys (CSUR)** March 1985  
 Volume 17 Issue 1  
 This paper compares text retrieval methods intended for office systems. The operational requirements of the office environment are discussed, and retrieval methods from database systems and from information retrieval systems are examined. We classify these methods and examine the most interesting representatives of each class. Attempts to speed up retrieval with special purpose hardware are also presented, and issues such as approximate string matching and compression are discussed. A quali ...



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office

## Search Results

Search Results for: **[(optical <near> (disc <or> disk))<AND>(((system <or> directory <or> ((file <or> data) <near> (data <or> information <or> table <or> size <or> length))))<AND>((((eras\* <or> modif\* <or> updat\* <or> chang\*) <sentence> ((write <near> once) <or> wo <or> worm)))) ) ) ]]**

Found **31** of **106,899** searched. → Rerun within the Portal

## Search within Results




[> Advanced Search](#)

[> Search Help/Tips](#)

**Sort by:** Title Publication Publication Date Score Binder

**Results 1 - 20 of 31** short listing



- 1** A reliable object-oriented data repository for a distributed computer system 100%

Liba Svobodova

**Proceedings of the eighth symposium on Operating systems principles** December 1981

The repository described in this paper is a component of a distributed data storage system for a network of many autonomous machines that might run diverse applications. The repository is a server machine that provides very large, very reliable long-term storage for both private and shared data objects. The repository can handle both very small and very large data objects, and it supports atomic update of groups of objects that might be distributed over several repositories. Each object is ...

- 2** File organizations and access methods for CLV disks 100%

S. Christodoulakis , D. A. Ford

**ACM SIGIR Forum , Proceedings of the 12th annual international ACM SIGIR conference on Research and development in information retrieval** May 1989  
Volume 23 Issue 1-2

A large and important class of optical disc technology are CLV format discs such as CD ROM and WORM. In this paper, we examine the issues related to the implementation and performance of several different file organizations on CLV format optical discs such as CD ROM and WORM. The organizations examined are based on hashing and trees. The CLV recording scheme is shown to be a good environment for efficiently implementing hashing. Single seek access and storage utilization levels a ...